L	Hits	Search Text	DB	Time stamp
Number 1	,41	"5857197"	USPAT;	2004/02/19
*		3037137	US-PGPUB;	09:32
			EPO; JPO;	
	\		DERWENT;	
	\		IBM_TDB	
2	\ 9	"5809505"	USPAT;	2004/02/19
	,	•	US-PGPUB;	09:32
			EPO; JPO;	
			DERWENT;	
	305	map\$4 same (C or non\$lobject) same (C++	IBM_TDB USPAT;	2004/02/18
	300	or object\$loriented)	US-PGPUB;	11:38
			EPO; JPO;	
			DERWENT;	
	r		IBM_TDB	
-	30	(map\$4 same (C or non\$1object) same (C++	USPAT;	2004/02/13
1	ļ į	or object\$1oriented)) and (no or zero\$5	US-PGPUB;	17:22
		or empty)near3 memory	EPO; JPO;	
			DERWENT;	
_	0	   ((map\$4 same (C or non\$1object) same (C++	IBM_TDB USPAT;	2004/02/13
		or object\$1oriented)) and (no or zero\$5	US-PGPUB;	17:17
		or empty) near3 memory) and cad	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	/30	((map\$4 or cast\$3) same (C or	USPAT;	2004/02/13
	/	non\$lobject) near3 (C++ or	US-PGPUB;	17:22
	/	object\$1oriented)) and (no or zero\$5 or	EPO; JPO;	
		empty)near3 memory	DERWENT; IBM TDB	
_	207	(map\$4 or cast\$3) same (C or non\$1object)	USPAT;	2004/02/13
		near3 (C++ or object\$1oriented)	US-PGPUB;	17:27
		,	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	8	' '	USPAT;	2004/02/13
		non\$lobject) near3 (C++ or	US-PGPUB;	17:26
		object\$1oriented)) and cad	EPO; JPO; DERWENT;	
			IBM TDB	
_	24	(map\$4 or cast\$3) near4 (C or	USPAT;	2004/02/13
		non\$1object) near3 (C++ or	US-PGPUB;	17:31
		object\$1oriented)	EPO; JPO;	
			DERWENT;	
I _	2	(man\$4 or gagt\$2) man#4 (C	IBM_TDB	2004/02/12
-	2	(map\$4 or cast\$3) near4 (C or non\$1object) near3 (C++ or	USPAT; US-PGPUB;	2004/02/13 17:32
		object\$1oriented) and cad	EPO; JPO;	11.54
			DERWENT;	
			IBM_TDB	
-	2	' • ' · · · · · · · · · · · · · · · · ·	USPAT;	2004/02/13
		non\$lobject) near4 (C++ or	US-PGPUB;	17:33
		object\$loriented) and cad	EPO; JPO;	1
	\	•	DERWENT; IBM TDB	
_	. \24	(map\$4 or cast\$3) near4 (C or	USPAT;	2004/02/13
1	flad 1	non\$lobject) near4 (C++ or	US-PGPUB;	17:33
	j	object\$1oriented)	EPO; JPO;	
	,		DERWENT;	
1		/	IBM_TDB	
-	2562	(map\$4 or inherit\$5) same (C or	USPAT;	2004/02/17
1		non\$1object or legacy) same (C++ or object)	US-PGPUB;	09:56
		ODJ ECC) 	EPO; JPO; DERWENT;	
	,		IBM TDB	
<b> </b>	\236	((map\$4 or inherit\$5) same (C or	USPAT;	2004/02/17
	1 1	non\$lobject or legacy) same (C++ or	US-PGPUB;	09:51
		object)) and cast\$4	EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

	·			
-	735	(map\$4 or inherit\$5) same (C or	USPAT;	2004/02/17
		non\$1object or legacy) near4 (C++ or	US-PGPUB;	09:57
		object)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	971	( non\$1object or legacy) near4 (C++ or	USPĀT;	2004/02/17
		object)	US-PGPUB;	10:10
		Objecti	EPO; JPO;	10.10
			DERWENT;	1
			IBM_TDB	
-	/ 5	( ( non\$1object or legacy) near4 (C++ or	USPAT;	2004/02/17
	1 1	object)) and (map\$4 or inherit\$5) near6 (	US-PGPUB;	09:58
		non\$1object or legacy) near4 (C++ or	EPO; JPO;	
	\	(object\$1oriented))	DERWENT;	
	1		IBM_TDB	
-	103	( ( non\$1object or legacy) near4 (C++ or	USPĀT;	2004/02/17
		object)) and 717/.ccls.	US-PGPUB;	14:44
	\		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
1_	655	( nonclobingt ) norm( (C++ or object)		2004/02/17
-	633	( non\$1object ) near4 (C++ or object)	USPAT;	
			US-PGPUB;	10:24
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-		( ( non\$1object ) near4 (C++ or object))	USPĀT;	2004/02/17
		and 717/.ccls.	US-PGPUB;	10:10
	· '		EPO; JPO;	
			DERWENT;	
			IBM TDB	_
_	1120	(map\$4 or retriev\$4 or access\$5 or	USPAT;	2004/02/17
	1120	inherit\$5) same ( C ) near5 (C++ or	US-PGPUB;	10:25
		(object\$loriented))	1	10.25
		(onlegistorrented))	EPO; JPO;	
			DERWENT;	
		1 , 44 , 54	IBM_TDB	
-	1120	(map\$4 or retriev\$4 or access\$5 or	USPAT;	2004/02/17
		inherit\$5) same ( C near5 (C++ or	US-PGPUB;	10:26
		(object\$1oriented)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	[
-	j131	(map\$4 or retriev\$4 or access\$5 or	USPAT;	2004/02/17
		inherit\$5) near5 (C near5 (C++ or	US-PGPUB;	10:26
	l '	(object\$1oriented)))	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM TDB	
1_	1422	( ( C or procedure or non\$lobject or	USPAT;	2004/02/17
	1 1722	l •		
		legacy) near4 (C++ or object)) and	US-PGPUB;	19:56
	1	717/.ccls.	EPO; JPO;	
	l		DERWENT;	
			IBM_TDB	
-	8239	(map\$3 or link\$4 or inherit\$5 or refer\$5	USPAT;	2004/02/17
		or retriev\$5 or access\$5)same ( ( C or	US-PGPUB;	15:02
		procedure or non\$1object or legacy) near4	EPO; JPO;	
1		(C++ or object))	DERWENT;	
			IBM TDB	
-	725	( (map\$3 or link\$4 or inherit\$5 or	USPAT;	2004/02/17
	•	refer\$5 or retriev\$5 or access\$5)same ( (	US-PGPUB;	14:53
		C or procedure or non\$1object or legacy)	EPO; JPO;	
1		near4 (C++ or object)) ) and 717/.ccls.	DERWENT;	
		l and /1//.ccis.		
1_	,138	// (manes or linked on inhamites an	IBM_TDB '	2004/02/17
	1,128	(( (map\$3 or link\$4 or inherit\$5 or	USPAT;	2004/02/17
		refer\$5 or retriev\$5 or access\$5)same ((	US-PGPUB;	14:48
		C or procedure or non\$1object or legacy)	EPO; JPO;	
		near4 (C++ or object)) ) and 717/.ccls.)	DERWENT;	i
		and object near4 map\$4	IBM_TDB	
1 -	\94	(( (map\$3 or link\$4 or inherit\$5 or	USPAT;	2004/02/17
	\	refer\$5 or retriev\$5 or access\$5)same ( (	US-PGPUB;	14:54
		C or procedure or non\$1object or legacy)	EPO; JPO;	j l
1		near4 (C++ or object)) and 717/.ccls.)	DERWENT;	
1		and cast\$3	IBM TDB	
	L			<u> </u>

2	V
•	

- Gen	2 10	(( (map\$3 or link\$4 or inherit\$5 or refer\$5 or retriev\$5 or access\$5) same ( ( C or procedure or non\$1object or legacy) near4 (C++ or object)) ) and 717/.ccls.) and (cast\$3 same (encapsulat\$5 or abstract\$5) near4 (C or non\$1object)) (( (map\$3 or link\$4 or inherit\$5 or refer\$5 or retriev\$5 or access\$5) same ( ( C or procedure or non\$1object or legacy) near4 (C++ or object)) ) and 717/.ccls.) and (cast\$3 same (encapsulat\$5 or abstract\$5) same ( C or non\$1object)) (( (map\$3 or link\$4 or inherit\$5 or refer\$5 or retriev\$5 or access\$5) same ( ( C or procedure or non\$1object or legacy) near4 (C++ or object)) ) and 717/.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/17 14:55 2004/02/17 14:55 2004/02/17 14:55
-	2326	<pre>and (cast\$3 same (encapsulat\$5 or abstract\$5) )   (map\$3 or link\$4 or inherit\$5 or refer\$5 or retriev\$5 or access\$5)same ( ( C ) near4 (C++ ))</pre>	IBM_TDB  USPAT;  US-PGPUB;  EPO; JPO;  DERWENT;	2004/02/17 15:03
-	72	<pre>( (map\$3 or link\$4 or inherit\$5 or refer\$5 or retriev\$5 or access\$5)same ( ( C ) near4 (C++ )) ) and (map\$3 or inherit\$5 or retriev\$5 or access\$5)near5</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/17 15:14
-	565	<pre>( C ) near4 (C++ )   (map\$3 or link\$4 or inherit\$5 or   retriev\$5 or access\$5) near3 ( C or   non\$lobject) near4 (C++ or (object or   object\$loriented) )</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:33
-	494	<pre>(map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 (C or non\$lobject) near3 (C++ or (object or object\$loriented) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:16
-	494	<pre>( (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object) near4 (C++ or (object or object\$1oriented) ) ) and (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object) near3 (C++ or (object or object\$1oriented) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:16
-	35	( ( (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object) near4 (C++ or (object or object\$1oriented) ) ) and (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object) near3 (C++ or (object or object\$1oriented) ) ) and (encapsulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:17
-	600	and abstract\$5 and cast\$4) (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object or legacy) near4 (C++ or (object or object\$1oriented) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 17:04
-	1	<pre>( (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$1object or legacy) near4 (C++ or (object or object\$1oriented) ) ) and (overl\$5 near4 memory)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:55
	\72	<pre>( (map\$3 or link\$4 or inherit\$5 or retriev\$5 or access\$5) near3 ( C or non\$lobject or legacy) near4 (C++ or (object or object\$loriented) ) ) and (over\$7 or cover\$4 or plac\$4) near4 memory</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:39

-	, 93	( (map\$3 or link\$4 or inherit\$5 or	USPAT;	2004/02/17
		retriev\$5 or access\$5) near3 ( C or	US-PGPUB;	15:50
		non\$1object or legacy) near4 (C++ or	EPO; JPO;	
		(object or object\$loriented) ) ) and	DERWENT;	
		(inherit\$5 and encapsulat\$5 and	IBM_TDB	
		abstract\$4)	_	
-	\ 13	( (map\$3 or link\$4 or inherit\$5 or	USPAT;	2004/02/17
		retriev\$5 or access\$5) near3 ( C or	US-PGPUB;	16:56
	\	non\$1object or legacy) near4 (C++ or	EPO; JPO;	
	\	(object or object\$1oriented) ) ) and	DERWENT;	
		((overl\$5 or replac\$4 or overwrit\$4 or	IBM_TDB	
		cover\$3) near4 memory)		
-	7290	object near2 map\$4	USPAT;	2004/02/17
			US-PGPUB;	17:04
		·	EPO; JPO;	
			DERWENT;	
	ا م	/-b	IBM_TDB	2004/02/17
_	0	(object near2 map\$4) and (object near3	USPAT;	2004/02/17
		map\$4) same inherit\$3 same (overl\$3 and	US-PGPUB;	16:59
		memory)	EPO; JPO; DERWENT;	
	]		IBM TDB	
_	0	(object near2 map\$4) and (object near3	USPAT;	2004/02/17
		map\$4) same inherit\$3 same (overl\$6 and	US-PGPUB;	16:59
		memory)	EPO; JPO;	10.00
		momory /	DERWENT;	
			IBM TDB	
_	0	(object near2 map\$4) and (object near3	USPAT;	2004/02/17
	Ĭ	map\$4) same inherit\$3 same (overl\$9 and	US-PGPUB;	17:00
		memory)	EPO; JPO;	17.00
			DERWENT;	
			IBM TDB	
-	/66	(object near2 map\$4) and (object near3	USPAT;	2004/02/17
		map\$4) same inherit\$3	US-PGPUB;	17:00
		• •	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	33	( (( legacy) near4 (C++ or object)) and	USPĀT;	2004/02/18
		717/.ccls.) and inherit\$4	US-PGPUB;	10:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	72	"L33" and cast\$3	USPAT;	2004/02/18
			US-PGPUB;	10:31
			EPO; JPO;	
			DERWENT;	
_	7	(( (( legacy) near4 (C++ or object)) and	IBM_TDB USPAT;	2004/02/18
	'	717/.ccls.) and inherit\$4) and cast\$3	US-PGPUB;	11:15
	] ]	'1','.ccib., and innotity; and castys	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	50	"C++ wrapper"	USPAT;	2004/02/18
		- · · · · · · · · · · · · · · · · · · ·	US-PGPUB;	11:16
			EPO; JPO;	
			DERWENT;	
	\		IBM TDB	
_	\ 12	map\$4 same inherit\$4 same (C or legacy or	USPAT;	2004/02/18
	\	non\$1object) same (C++ or	US-PGPUB;	11:43
	\	object\$1oriented)	EPO; JPO;	
	\		DERWENT;	
	\		IBM_TDB	
-	6.9	(link\$4 or access\$5 or retriev\$4 or	USPĀT;	2004/02/18
		map\$4) same inherit\$4 same (C or legacy	US-PGPUB;	12:18
		or non\$lobject) same (C++ or	EPO; JPO;	
		object\$loriented)	DERWENT;	
			IBM_TDB	

-	57	((link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
		map\$4) same inherit\$4 same (C or legacy	US-PGPUB;	11:44
	{	or non\$lobject) same (C++ or	EPO; JPO;	
	\	object\$1oriented)) not (map\$4 same	DERWENT;	
		inherit\$4 same (C or legacy or	IBM_TDB	
		non\$lobject) same (C++ or		
		object\$1oriented))		
-	792	(link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
ļ		map\$4) same inherit\$4 same (C or legacy	US-PGPUB;	14:11
		or non\$1object)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	((link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
	l ,	<pre>map\$4) same inherit\$4 same (C or legacy</pre>	US-PGPUB;	14:10
	1 /	or non\$lobject) ) and static near1 cast\$3	EPO; JPO;	
	l /		DERWENT;	
	1 /		IBM TDB	
-	27	(link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
	1 /	map\$4) same inherit\$4 same ( legacy or	US-PGPUB;	14:13
	1 /	non\$1object)	EPO; JPO;	
	1 1	,,	DERWENT;	1
	1 1		IBM TDB	
_	1 6	(link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
		map\$4) same inherit\$4 near3 ( legacy or	US-PGPUB;	14:51
		non\$lobject)	EPO; JPO;	
		,, <b>,</b> ,	DERWENT;	
			IBM TDB	
-	40	(link\$4 or access\$5 or retriev\$4 or	USPĀT;	2004/02/18
	\ '	map\$4) and inherit\$4 near3 (legacy or	US-PGPUB;	15:56
		non\$lobject)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	\ 21	(link\$4 or access\$5 or retriev\$4 or	USPAT;	2004/02/18
		map\$4) and inherit\$4 near2 ( legacy or	US-PGPUB;	15:57
	.	non\$lobject)	EPO; JPO;	
			DERWENT;	
	\		IBM TDB	
_	\22	<pre>inherit\$4 near2 ( legacy or non\$1object)</pre>	USPAT;	2004/02/18
	\		US-PGPUB;	15:58
-			EPO; JPO;	10.00
			DERWENT;	
			IBM TDB	1
L	l	I	T TOTAL T DE	I